

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

MI – Karimnagar District – (i) FDR to Oora Cheruvu, Edapally village, Mahadevpur Mandal, Karimnagar District, (ii) FDR to Oora Cheruvu, Bayyaram Village, Kataram Mandal, Karimnagar District (iii) FDR to Pedda Cheruvu, Vilasagar village, Kataram Mandal, Karimnagar District, (iv) FDR to Bommaram Tank, Kondampet Village, Malhar Rao Mandal, Karimnagar District, and (v) FDR to Kotha Cheruvu, Khansaipet village, Manthani Mandal, Karimnagar District - Administrative Approval for Rs. 129.84 lakhs – Accorded – Orders – Issued.

= = = = =

IRRIGATION & CAD (MIT1) DEPARTMENT

G.O.Rt.No. 993

Dated 4.9.2012.

Read the following:-

From the Chief Engineer, Minor Irrigation (T), Hyderabad Letter No. DCE II/OT4/SO1/KNR/FDR/Manthani Constituency/2011, dated 04.07.2011 and even No. dated 29.3.2012.

<00>

ORDER:-

In the letter read above, the Chief Engineer, Minor Irrigation (T), Hyderabad has submitted five estimates to accord administrative approval for Rs. 129.84 lakhs as detailed below:

i) FDR to Oora Cheruvu, Edapally (V), Mahadevpur (M), Karimnagar District:

The Oora cheruvu is having an ayacut of 392.91 acres. Due to heavy rains during the month of July, 2010, the weir got washed away which was constructed with CRS Masonary. Hence, it is proposed to take repairs to the above cheruvu and the estimate is prepared for Rs. 19.50 lakhs.

ii) FDR to Oora Cheruvu, Bayyaram (V), Kataram (M), Karimnagar District,

The Oora cheruvu is having an ayacut of 150 acres. Due to heavy rains during the month of July, 2010, heavy leakages were observed through the body wall weir and sluice. Hence, it is proposed to take up repairs to the above cheruvu and the estimate is prepared for Rs. 15.52 lakhs.

iii) FDR to Pedda Cheruvu, Vilasagar Village, Kataram Mandal, Karimnagar District:

The Pedda cheruvu is having an ayacut of 666 acres. Due to heavy rains during the month of July, 2010, heavy leakages were observed through the body wall weir which was constructed with CRS Masonary and sluice and canal banks were washed away. Hence, it is proposed to take repairs to the above cheruvu and the estimate is prepared for Rs. 50.50 lakhs.

p.t.o.

-2-

- Iv) FDR to Bommaram Tank, Kondampet Village, Malhar Rao Mandal, Karimnagar District:

The Bommaram Tank is having an ayacut of 738 acres. Due to heavy rains during the month of July, 2010, L/S wing wall of weir no. 1 was damaged, scoured near the weir bund, second sluice with CRS Masonary was washed damaged, the guide wall was washed away @ 0.90 Km. The aqueduct was also damaged. Hence, it is proposed to take repairs to the above cheruvu and the estimate is prepared for Rs. 23.80 lakhs

- v) FDR to Kotha Cheruvu, Khansaipet Village, Manthani Mandal, Karimnagar District:

The Kotha cheruvu is having an ayacut of 172 acres. Due to heavy cyclonic rains during the month of July, 2010, the weir got washed away, surplus course banks were breached, guide walls of weir were also damaged and washed away. Hence, it is proposed to take repairs to the above cheruvu and the estimate is prepared for Rs. 20.52 lakhs

Hence, he has requested to accord administrative approval for Rs. 129.84 lakhs for the above works under Normal State Plan stating that no item of work is proposed to take up under MGNREGP.

2. Government, after careful examination of the matter, hereby accord Administrative Approval for Rs. 129.84 lakhs (Rupees one hundred twenty nine lakhs and eighty four thousand only) for the above works as detailed below:

Sl.No	Name of Work	Ayacut in Acres	Administrative Approval
1	FDR to Oora Cheruvu, Edapally village, Mahadevpur Mandal, Karimnagar District	392.91	Rs.19.50 lakhs
2	FDR to Oora Cheruvu, Bayyaram Village, Kataram Mandal, Karimnagar District	150	Rs.15.52 lakhs
3	FDR to Pedda Cheruvu, Vilasagar village, Kataram Mandal, Karimnagar District	666	Rs.50.50 lakhs
4	FDR to Bommaram Tank, Kondampet Village, Malhar Rao Mandal, Karimnagar District	738	Rs 23.80 lakhs
5	FDR to Kotha Cheruvu, Khansaipet village, Manthani Mandal, Karimnagar District	172	Rs.20.52 lakhs
	Total Rs.		Rs.129.84 lakhs

Contd...p 3

-3-

3. The expenditure sanctioned at para 2 above shall be debitable to the Head of Account "4702 COL on MI – MH 101 SW – GH 11 NSP – SH (21) Restoration of MI Tanks-530 Major works-531 OE"

4. This order issues with the concurrence of Finance (Expr. PW) Department vide their U.O. No. 18828/697/A1/Expr.PW/12, dated 25.7.2012.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

AJOYENDRA PYAL
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
The Chief Engineer, Minor Irrigation (Telangana), Hyderabad.
The District Collector, Karimnagar.
Copy to:
The Accountant General, A.P. Hyderabad.
The Director of Works & Accounts, M.J. Road, Hyderabad.
The OSD to M (MI, APSIDC, LI, WALAMTARI & GWD)
The PS to Spl. C.S. to Govt, (Irrign). I & CAD Department.
The PS to Spl.Secy to Govt., I & CAD Department
SF/SC

// FORWARDED : BY ORDER //

SECTION OFFICER